

State of Idaho Drinking Water Certificate

Inorganic Analysis

Effective Dates: 7/1/2014-12/31/2014

Anatek Labs, Inc.
1282 Alturas Drive
Moscow, ID 83843
EPA ID: ID00013

<u>List of Analytes</u>	<u>Status</u> ¹	<u>Methods</u>
<u>Disinfection Byproducts</u>		
Bromate	*	
Chlorite	*	
<u>Copper & Lead</u>		
Copper	C	200.7, 2008
Lead	C	200.8
<u>Nitrate & Nitrite</u>		
Nitrate	C	300.0, SM 4500-NO ₃ -F
Nitrite	C	300.0, SM 4500-NO ₃ -F
<u>Inorganics</u>		
Cyanide	C	335.4
Fluoride	C	300.0
<u>Metals</u>		
Antimony	C	200.8
Arsenic	C	200.8
Barium	C	200.7, 200.8
Beryllium	C	200.7, 200.8
Cadmium	C	200.7, 2008
Chromium	C	200.7, 2008
Mercury	C	200.8
Nickel	C	200.7, 2008
Selenium	C	200.8
Sodium	C	200.7
Thallium	C	200.8
<u>Radiochemical Contaminants</u>		
Total Uranium	C	200.8
<u>Miscellaneous</u>		
Turbidity	C	180.1

1) C = Certified, N = Not Certified, P = Provisionally Certified, I = Interim Certified, * = Certification Not Requested



Christopher Ball, Ph.D., HCLD (ABB)
Certification Authority for the State of Idaho



IDAHO DEPARTMENT OF
HEALTH & WELFARE

Idaho Bureau of Laboratories- 2220 Old Penitentiary Rd-Boise Id 83712-8299

www.statelab.idaho.gov 208-334-2235

State of Idaho Drinking Water Certificate


Organic Analysis

Effective Dates: 11/1/23-10/31/24

Anatek Laboratory
1282 Alturas Drive
Moscow, Id 83843
EPA ID: ID00013

<u>List of Analytes</u>	<u>Status</u> ¹	<u>Methods</u>
<u>Volatiles</u>		
Dibromochloropropane (DBCP)	C	EPA 504.1
Ethylene Dibromide (EDB)	C	EPA 504.1
Total Trihalomethanes (TTHM's)	C	EPA 524.3
VOC's (Except Vinyl Chloride)	C	EPA 524.3
Vinyl Chloride	C	EPA 524.3
<u>Pesticides</u>		
Alachlor	C	EPA 525.2
Atrazine	C	EPA 525.2
Chlordane	C	EPA 505
Endrin	C	EPA 505
Gamma – BHC (Lindane)	C	EPA 505
Heptachlor	C	EPA 505
Heptachlor Epoxide	C	EPA 505
Hexachlorobenzene	C	EPA 525.2
Hexachlorocyclopentadiene	C	EPA 525.2
Methoxychlor	C	EPA 505
Simazine	C	EPA 525.2
Toxaphene	C	EPA 505
<u>Herbicides</u>		
2,4-D	C	EPA 515.4
2,4,5-TP (Silvex)	C	EPA 515.4
Dalapon	C	EPA 515.4
Dinoseb	C	EPA 515.4
Pentachlorophenol	C	EPA 515.4
Picloram	C	EPA 515.4
Carbofuran	C	EPA 531.2
Oxamyl (Vydate)	C	EPA 531.2
Glyphosate	C	EPA 547
<u>Miscellaneous</u>		
Adipates	C	EPA 525.2
Phthalates	C	EPA 525.2
Polynuclear Aromatic Hydrocarbons	C	EPA 525.2
Polychlorinated Biphenyls (PCB Screen)	C	EPA 505
Diquat	C	EPA 549.2
Endothall	C	EPA 548.1
Haloacetic Acids (HAA5)	C	SM 6251B

1) C = Certified, N = Not Certified, P = Provisionally Certified, * = Certification Not Requested



Christopher Ball, Ph.D., HCLD (ABB)
Certification Authority for the State of Idaho



IDAHO DEPARTMENT OF
HEALTH & WELFARE

Idaho Bureau of Laboratories - 2220 Old Penitentiary Road - Boise, Idaho 83712-8299

healthandwelfare.idaho.gov 208-334-2235